

学際科学実験センター利用業績一覧 (2006年1月—12月)

医学系研究科（医学部医学科）

脳医科学専攻

脳細胞遺伝子学

- (1) Higashida H, Salmina A, Hashii M, Yokoyama S, Zhang JS, Noda M, Zhong ZG, Jin D. Bradykinin activates ADP-ribosyl cyclase in neuroblastoma cells: intracellular concentration decrease in NAD and increase in cyclic ADP-ribose. FEBS Lett. 2006 Sep 4;580(20):4857-60.
- (2) Salmina A, Olovyanikova RY, Noda M, Higashida H. ADP-Ribosyl Cyclase as a Therapeutic Target for Central Nervous System Diseases. Central Nervous System Agents in Medicinal Chemistry. 2006;6:193-210.

シナプス発達・機能学

- (3) Torashima T, Yamada N, Itoh M, Yamamoto A, Hirai H. Exposure of lentiviral vectors to subneutral pH shifts the tropism from Purkinje cell to Bergmann glia. Eur J Neurosci. 2006;24(2):371-80.
- (4) Torashima T, Okoyama S, Nishizaki T, Hirai H. In vivo transduction of murine cerebellar Purkinje cells by HIV-derived lentiviral vectors. Brain Research 2006;1082(1):11-22.
- (5) Torashima T, Yamada N, Hirai H. In vivo transduction of murine cerebellar Purkinje cells by HIV-derived lentiviral vectors. The 83 Annual Meeting of The Physiological Society of Japan. 2006

がん医科学専攻

組織発達構築学

- (6) Wakayama T, Kato Y, Utsumi R, Tsuji A, Iseki S. A time- and cost-saving method of producing rat polyclonal antibodies. Acta Histochem Cytochem. 2006; 39(3):79-87.

集学的治療学

- (7) Nagasawa, J., Mizokami, A., Koshida, K., Yoshida, S., Naito, K., Namiki, M. Novel HER2 selective tyrosine kinase inhibitor, TAK-165, inhibits bladder, kidney and androgen-independent prostate cancer in vitro and in vivo. Int J Urol 2006;13: 587-92
- (8) Asahi, H., Mizokami, A., Miwa, S., Keller, E. T., Koshida, K., Namiki, M. Bisphosphonate induces apoptosis and inhibits pro-osteoclastic gene expression in prostate cancer cells. Int J Urol 2006;13: 593-600.

バイオトレーサ診療学

- (9) Kinuya S, Bai J, Shiba K, Yokoyama K, Mori H, Fukuoka M, Watanabe M, Shuke N, Michigishi T, Tonami N. 99mTc-sestamibi to monitor treatment with antisense oligo-deoxynucleotide complementary to MRP mRNA in human breast cancer cells. Ann Nucl Med 2006;20:29-34.
- (10) Bai J, Kinuya S, Shiba K, Michigishi T, Tonami N. Binding with serum components favorably

affects cellular uptake of ^{111}In -oligonucleotide in a leukemia cell line. *Cancer Biother Radiopharm* 2006;21:34-40.

- (11) Kinuya S, Bai J, Yokoyama K, Shiba K, Mori H, Fukuoka M, Watanabe N, Shuke N, Michigishi T, Tonami N. Changes of $^{99\text{mTc}}$ -sestamibi uptake in P-glycoprotein expressing leukemia cells treated in vivo with antisense oligodeoxynucleotide complementary to *mdr-1* mRNA. *World J Nucl Med* 2006;5:115-8.
- (12) Kinuya S, Li X-F, Bai J, Yokoyama K, Michigishi T, Tonami N. Prediction of therapeutic responses to chemotherapy and monitor of effects of MDR-modulation with radiotracers in malignant tumors. In *Multidrug Resistance-Associated Proteins*, 2006
- (13) Shiba K, Ogawa K, Kinuya S, Yajima K, Mori H. A simple and rapid radiochemical choline acetyltransferase (ChAT) assay screening test. *J Neuroscience Methods* 2006;157: 98-102.
- (14) Yoshimoto M, Kinuya S, Kawashima A, Nishii R, Yokoyama K, Kawai K. Radioiodinated VEGF to image tumor angiogenesis in a LS180 tumor xenograft model. *Nucl Med Biol* 2006; 33:963-969.
- (15) Kinuya S, Izumo M, Sorita T, Obata T, Hiramatsu T, Shiba K, Watanabe N, Shuke N, Michigishi T, Tonami N. Eradication of colon cancer cells before tumour formation in the peritoneal cavity of mice treated with intraperitoneal Re-186 radioimmunotherapy. *World J Nucl Med* 2006;5:196-200

細胞移植学

- (16) Takamatsu H, Feng X, Chuhjo T, Lu X, Sugimori C, Okawa K, Yamamoto M, Iseki S, Nakao S. Specific antibodies to moesin, a membrane-cytoskeleton linker protein, are frequently detected in patients with acquired aplastic anemia. *Blood*.
- (17) Takami A, Hayashi T, Kita D, Nishimura R, Asakura H, Nakao S. Treatment of primary central nervous system lymphoma with induction of complement-dependent cytotoxicity by intraventricular administration of autologous-serum-supplemented rituximab. *Cancer Sci.* 2006;97(1):80-3.

機能再建学

- (18) 池田和夫 富田勝郎 田中重徳.末梢神経延長術に向けた基礎的研究.別冊整形外科 49:80-84,2006
- (19) 柳下信一.ステロイド投与家兎骨壊死モデルにおける骨内の血管内皮増殖因子の発現について.金沢大学十全医学会雑誌 115:10-20,2006
- (20) Yoshiyasu Fujimaki, Norio Kawahara, Katsuro Tomita, Hideki Murakami, Yasuhiro Ueda. How Many Ligations of Bilateral Segmental Arteries Cause Ischemic Spinal Cord Dysfunction? An Experimental Study Using a Dog Model. *Spine* 31(21):E781-E789,2006

循環医科学専攻

血管分子生物学

- (21) Myint KM, Yamamoto Y, Doi T, Kato I, Harashima A, Yonekura H, Watanabe T, Shinohara H, Takeuchi M, Tsuneyama K, Hashimoto N, Asano M, Takasawa S, Okamoto H, Yamamoto H. RAGE control of diabetic nephropathy in a mouse model: effects of RAGE gene disruption and administration of low-molecular weight heparin. *Diabetes.* 2006;55(9):2510-22.
- (22) Shoji T, Koyama H, Morioka T, Tanaka S, Kizu A, Motoyama K, Mori K, Fukumoto S, Shioi A, Shimogaito N, Takeuchi M, Yamamoto Y, Yonekura H, Yamamoto H, Nishizawa Y. Receptor for advanced glycation end products is involved in impaired angiogenic response in diabetes. *Diabetes.*

2006;55(8):2245-55.

- (23) Harashima A, Yamamoto Y, Cheng C, Tsuneyama K, Myint KM, Takeuchi A, Yoshimura K, Li H, Watanabe T, Takasawa S, Okamoto H, Yonekura H, Yamamoto H. Identification of mouse orthologue of endogenous secretory receptor for advanced glycation end-products: structure, function and expression. *Biochem J.* 2006 ;15;396(1):109-15.
- (24) Inagi R, Yamamoto Y, Nangaku M, Usuda N, Okamoto H, Kurokawa K, van Ypersele de Strihou C, Yamamoto H, Miyata T. A severe diabetic nephropathy model with early development of nodule-like lesions induced by megalin overexpression in RAGE/iNOS transgenic mice. *Diabetes.* 2006;55(2):356-66.

血管分子生理学

- (25) Yu Wang, Kazuaki Yoshioka, Mohammed Ali Azam, Noriko Takawa, Sotaro Sakurada, Yuji Kayaba, Naotoshi Sugimoto, Isao Inoki, Takaharu Kimura, Tomoyuki Kuwai and Yoh Takawa Class II phosphoinositide 3-kinase α -isoform regulates Rho, myosin phosphatase and contraction in vascular smooth muscle. *Biochem J* 2006; 394: 581-92.
- (26) Naotoshi Sugimoto, Noriko Takawa, Kazuaki Yoshioka and Yoh Takawa Rho-dependent, Rho kinase-independent inhibitory regulation of Rac and cell migration by LPA1 receptor in Gi-inactivated CHO cells. *Exp. Cell Res.* 2006; 312: 1899-908.
- (27) Isao Inoki, Noriko Takawa, Naotoshi Sugimoto, Kazuaki Yoshioka; Shigeo Takata, Shuichi Kaneko and Yoh Takawa Negative regulation of endothelial morphogenesis and angiogenesis by S1P2 receptor. *Biochem. Biophys. Res. Commun.* 2006;346:293-300.
- (28) Atsuhiko Tanabe, Yukinori Kamisuki, Hiroyoshi Hidaka, Masaaki Suzuki, Manabu Negishi and Yoh Takawa PKC phosphorylates MARCKS Ser159 not only directly but also through RhoA/ROCK. *Biochem. Biophys. Res. Commun.* 2006;345:156-161.
- (29) Yoh Takawa, Naotoshi Sugimoto, Noriko Takawa, and Yasuyuki Igarashi Signaling mechanisms for positive and negative regulation of cell motility by sphingosine-1-phosphate receptors. *Sphingolipid Biology.* 2006; pp. 415-425 Y. Hirabayashi, Y. Igarashi, A.H. Merrill(Eds.) Springer
- (30) Mohammed Ali Azam, Kazuaki Yoshioka, Shinsuke Ohkura, Noriko Takawa, Naotoshi Sugimoto, Koichi Sato, and Yoh Takawa Ca^{2+} -independent, inhibitory effects of cyclic AMP on Ca^{2+} regulation of phosphoinositide 3-kinase C2a, Rho and myosin phosphatase in vascular smooth muscle *J. Pharm.Exp.Ther* 2006; 320(2): 907-16.
- (31) Zheng R, Iwase A, Shen R, Goodman OB Jr, Sugimoto N, Takawa Y, Lerner DJ, Nanus DM. Neuropeptide-stimulated cell migration in prostate cancer cells is mediated by RhoA kinase signaling and inhibited by neutral endopeptidase. *Oncogene.* 2006;28;25(44):5942-52.

血管新生・結合組織代謝学

- (32) 松下貴史, 竹原和彦. 抗アミノアシル tRNA 合成酵素抗体症候群. 先端医療シリーズ38 皮膚科/皮膚疾患の最新医療, 編集主幹・斎藤俊明, 飯塚 一, 先端医療技術研究所, 東京. 2006. pp161-164.
- (33) 松下貴史, 竹原和彦. 抗アミノアシル tRNA 合成酵素抗体症候群. 臨皮. 2006. 60(5): 44-48.
- (34) 松下貴史, 竹原和彦. 抗アミノアシル tRNA 合成酵素抗体. 皮膚臨床. 2006. 48 (10) : 1263-1267.
- (35) 山中新也, 清島真理子, 加治賢三, 齋藤佑希. 抗アミノアシル tRNA 合成酵素抗体症候群. 皮膚病診療. 2006. 28(12) : 1435-1438.
- (36) 加治賢三, 藤本 学, 長谷川稔, 近藤美幾, 齋藤佑希, 松下貴史, 小村一浩, 折戸秀光, 濱口儒

人, 竹原和彦. 皮膚筋炎に新規に同定された抗155/140kDa 蛋白抗体—悪性腫瘍合併皮膚筋炎の疾患標識抗体—. 日皮会誌. 2006. 116(13) : 2222-2224.

- (37) Hasegawa M, Hamaguchi Y, Yanaba K, Bouaziz JD, Uchida J, Fujimoto M, Matsushita T, Matsushita Y, Horikawa M, Komura K, Takehara K, Sato S, Tedder TF. TFB-lymphocyte depletion reduced skin fibrosis and autoimmunity in the tight-skin mouse model for systemic sclerosis. *Am J Pathol.* 2006. 169(3): 954-66.
- (38) Horikawa M, Fujimoto M, Hasegawa M, Matsushita T, Hamaguchi Y, Kawasuji A, Matsushita Y, Fujita T, Ogawa F, Takehara K, Steeber DA, Sato S., E- and p-selectins synergistically inhibit bleomycin-induced pulmonary fibrosis. *Am J Pathol.* 2006. 169(3): 740-9.
- (39) Kawasuji A, Hasegawa M, Horikawa M, Fujita T, Fujita T, Matsushita Y, Matsushita T, Fujimoto M, Steeber DA, Tedder TF, Takehara K, Sato S., L-selectin and intercellular adhesion molecule-1 regulate the development of concanavalin A-induced liver injury. *J Leukocyte Biol.* 2006. 79(4) : 696-705.
- (40) Yamada M, Yanaba K, Hasegawa M, Matsushita Y, Horikawa M, Komura K, Matsushita T, Kawasuji A, Fujita T, Takehara K, Tedder TF, Sato S., Regulation of local and metastatic host-mediated anti-tumour mechanisms by L-selectin and intercellular adhesion molecule-1. *Clin Exp Immunol.* 2006. 143(2) : 216-27.
- (41) Matsushita T, Fujimoto M, Hasegawa M, Komura K, Takehara K, Tedder TF, Sato S., Inhibitory role of CD19 in the progression of experimental autoimmune encephalomyelitis by regulating cytokine response. *Am J Pathol.* 2006.168(3) : 812-21.
- (42) 長谷川稔. 抗リン脂質抗体症候群の皮膚科学的意義. 先端医療シリーズ38 皮膚科/皮膚疾患の最新医療, 編集主幹・斎田俊明, 飯塚 一, 先端医療技術研究所, 東京. 2006. pp157-160
- (43) 中條園子, 伊川友香, 白崎文朗, 竹原和彦. 皮膚線維化の機序とモデルマウス皮膚の科学. 2006. 5. Suppl.6 : 7-15.
- (44) 松下貴史. 自己免疫脳脊髄炎の発症において CD19は抑制的な役割を果たす. 金沢大学十全医学会雑誌. 2006. 115(2) : 90-91.
- (45) 長谷川稔, 佐藤伸一, 濱口儒人, 内田純二, 藤本 学, 竹原和彦, Tedder TF. Tight skin mouse の皮膚硬化に対する抗 CD20抗体療法. 医薬の門. 2006. 46(4) : 90-93.
- (46) 長谷川稔. Tight skin mouse における B 細胞機能異常. 臨床免疫・アレルギー. 2006. 46(1) : 81-85.

臓器機能制御学

- (47) Oda N, Takeda Y, Zhu A, Usukura M, Yoneda T, Takata H, Mabuchi H. Pathophysiological roles of the adrenal renin-angiotensin system in patients with primary aldosteronism. *Hypertens Res* 2006;29(1):9-14.

生体防御応答学

- (48) Nakanishi, Y., and Shiratsuchi, A. (review) Mechanisms and roles of phagocytosis in *Drosophila* and *Caenorhabditis elegans*. *Invertebrate Survival Journal* 2006;3:89-96. (2006)
- (49) Awasaki, T., Tatsumi, R., Takahashi, K., Arai, K., Nakanishi, Y., Ueda, R., and Ito K. Essential role of the apoptotic cell engulfment genes *draper* and *ced-6* in developmentally programmed axon pruning during *Drosophila* metamorphosis. *Neuron* 2006;50: 855-67.
- (50) Osada, Y., Shiratsuchi, A., and Nakanishi, Y. Involvement of mitogen-activated protein kinases in class B scavenger receptor type I-induced phagocytosis of apoptotic cells. *Exp. Cell Res.* 2006;312,

1820-30.

- (51) Nakanishi, Y., Henson, P. M., and Shiratsuchi, A. (book chapter) Pattern recognition in phagocytic clearance of altered self. In: Target Pattern Recognition in Innate Immunity, chapter 11, U. Kishore (ed.), Landes Bioscience (2006)
- (52) Bayarsaikhan, M., Shiratsuchi, A., Gantulga, D., Nakanishi, Y., and Yoshioka, K. Selective expression of the scaffold protein JSAP1 in spermatogonia and spermatocytes. *Reproduction* 2006;131, 711-9.
- (53) 中西義信: 感染症における細胞貪食の役割: 知識と課題の整理. 蛋白質・核酸・酵素, 51: 101-106, 2006
- (54) 白土明子、中西義信: ウイルス感染細胞の貪食除去機構と病態生理学的意義. 蛋白質・核酸・酵素, 51: 138-144, 2006

薬物代謝化学

- (55) Tsuchiya Y, Nakajima M, Takagi S, Katoh M, Zheng W, Jefcoate CR, Yokoi T. Binding of steroidogenic factor-1 to the regulatory region might not be critical for transcriptional regulation of the human CYP1B1 gene. *J Biochem.* 2006;139(3):527-34.
- (56) Komagata S, Nakajima M, Tsuchiya Y, Katoh M, Kizu R, Kyo S, Yokoi T. Decreased responsiveness of naturally occurring mutants of human estrogen receptor α to estrogens and antiestrogens. *J Steroid Biochem Mol Biol.* 2006;100(1-3):79-86
- (57) Tsuchiya Y, Nakajima M, Takagi S, Taniya T, Yokoi T. MicroRNA regulates the expression of human cytochrome P450 1B1. *Cancer Res.* 2006;66(18):9090-8.
- (58) Itoh M, Nakajima M, Higashi E, Yoshida R, Nagata K, Yamazoe Y, Yokoi T. Induction of human CYP2A6 is mediated by the pregnane X receptor with peroxisome proliferator-activated receptor- γ co activator 1 α . *J Pharmacol Exp Ther.* 2006;319(2):693-702.
- (59) Katoh M, Suzuyama N, Takeuchi T, Yoshitomi S, Asahi S, Yokoi T. Kinetic analyses for species differences in P-glycoprotein-mediated drug transport. *J Pharm Sci.* 2006;95(12):2673-83.

医薬情報統御学

- (60) Jin M, Shimada T, Yokogawa K, Nomura M, Ishizaki J, Piao Y, Kato Y, Tsuji A, Miyamoto K. Site-dependent contributions of P-glycoprotein and CYP3A to cyclosporin A absorption, and effect of dexamethasone in small intestine of mice. *Biochem Pharmacol.* 2006 Oct 16;72(8):1042-50.
- (61) Mano Y, Tsukada H, Kurihara T, Nomura M, Yokogawa K, Miyamoto K. Development of dosage design of hepatic metabolizing drugs using serum albumin level in chronic hepatic failure. *Biol Pharm Bull.* 2006 Aug;29(8):1692-9.
- (62) Miyamoto K, Nishioka T, Waki Y, Nomura M, Katsuta H, Yokogawa K, Amano H. Phosphodiesterase 4 inhibitor rolipram potentiates the inhibitory effect of calcitonin on osteoclastogenesis. *J Bone Miner Metab.* 2006;24(4):260-5.
- (63) Yokogawa K, Toshima K, Yamoto K, Nishioka T, Sakura N, Miyamoto K. Pharmacokinetic Advantage of an Intranasal Preparation of a Novel Anti-osteoporosis Drug, L-Asp-Hexapeptide-Conjugated Estradiol. *Biol Pharm Bull.* 2006 Jun;29(6):1229-33.
- (64) Yokogawa K, Ido A, Kurihara T, Mano Y, Nomura M, Ishizaki J, Miyamoto K. Serum aminotransferase activity as a predictor for estimation of total clearance of hepatically metabolized drugs in rats with acute hepatic failure. *Biol Pharm Bull.* 2006 Jan;29(1):141-5.
- (65) Jin M, Shimada T, Yokogawa K, Nomura M, Kato Y, Tsuji A, Miyamoto K. Contributions of

intestinal P-glycoprotein and CYP3A to oral bioavailability of cyclosporin A in mice treated with or without dexamethasone. *Int J Pharm.* 2006 Feb 17;309(1-2):81-6.

環境医科学専攻

恒常性制御学

- (66) T Kunieda, T Minamino, J Nishi, K Tateno, T Oyama, T Katsuno, H Miyauchi, M Orimo, S Okada, M Takamura, T Nagai, S Kaneko, and Issei Komuro. Angiotensin II induces premature senescence of vascular smooth muscle cells and accelerates the development of atherosclerosis via a p21-dependent pathway. *Circulation* 2006;114(9):953-60.
- (67) M Honda, T Yamashita, T Ueda, H T, R Nishino, and S Kaneko. Different signaling pathways in the livers of patients with chronic hepatitis B or chronic hepatitis C. *Hepatology* 2006;44(5):1122-38.
- (68) Y Takeshita, T Takamura, E Hamaguchi, A Shimizu, T Ota, M Sakurai, and S Kaneko. Tumor necrosis factor- α -induced production of plasminogen activator inhibitor 1 and its regulation by pioglitazone and cerivastatin in a nonmalignant human hepatocyte cell line. *Metabolism* 2006;55(11):1464-72.
- (69) T Kato, T Yamashita, A Sekiguchi, K Sagara, M Takamura, S Takata, S Kaneko, T Aizawa, and L-T Fu. What are arrhythmogenic substrates in diabetic rat atria? *J Cardiovasc Electrophysiol* 2006;7(8):890-4.
- (70) N Sakai, T Wada, H Yokoyama, M Lipp, S Ueha, K Matsushima, and S Kaneko. Secondary lymphoid tissue chemokine (SLC/CCL21)/CCR7 signaling regulates fibrocytes in renal fibrosis. *P Natl Acad Sci USA* 2006;103(38):14098-103.
- (71) J Yamahana, T Wada, K Furuichi, N Sakai, H Yokoyama, and S Kaneko. TAK-603, an anti-inflammatory compound, reduces crescentic glomerulonephritis and preserves renal function in WKY rats. *Nephrol Dial Transplant* 2006;21(10):2736-44.
- (72) K Furuichi, T Wada, Y Iwata, S Kokubo, A Hara, J Yamahana, T Sugaya, Y Iwakura, K Matsushima, M Asano, H Yokoyama, and S Kaneko. Interleukin-1-dependent sequential chemokine expression and inflammatory cell infiltration in ischemia-reperfusion injury. *Crit Care Med* 2006;34(9):2447-55.
- (73) T Wada, H Azuma, K Furuichi, N Sakai, K Kitagawa, Y Iwata, K Matsushima, S Takahara, H Yokoyama, and S Kaneko. Reduction in Chronic Allograft Nephropathy by Inhibition of p38 Mitogen-Activated Protein Kinase. *Am J Nephrol* 2006;26(4):319-25.
- (74) K Inamura K, H Tsuji, Y Nakamoto, M Suzuki, and S Kaneko. Transgenic mice aberrantly expressing pyruvate dehydrogenase complex E2 component on biliary epithelial cells do not show primary biliary cirrhosis. *Clin Exp Immunol* 2006;145(1):93-100.
- (75) Y Nakamoto, and S Kaneko. Analysis of intrahepatic lymphocyte subsets in a transgenic mouse model of immune-mediated hepatocarcinogenesis. *J Exp Clin Cancer Res* 2006;25(1):55-7.
- (76) I Inoki, N Takuwa, N Sugimoto, K Yoshioka, S Takata, S Kaneko, and Y Takuwa. Negative regulation of endothelial morphogenesis and angiogenesis by S1P(2) receptor. *Biochem Biophys Res Commun* 2006;346(1):293-300.
- (77) E Mizukoshi, Y Nakamoto, Y Marukawa, K Arai, T Yamashita, H Tsuji, K Kuzushima, M Takiguchi, and S Kaneko. Cytotoxic T cell responses to human telomerase reverse transcriptase in patients with hepatocellular carcinoma. *Hepatology* 2006;43(6):1284-94.
- (78) Wada T, Yokoyama H, Kaneko S, Matsushima K: Lymphocyte migration to the kidney, Lymphocyte Trafficking in Health and Disease,151-165, Ed. Badolato R, Sozzani S, (Birkhauser Verlag, Basel)

2006

- (79) Yamahana J, Wada T, Furuichi K, Sakai N, Yokoyama H, Kaneko S: TAK-603, an anti-inflammatory compound, reduces crescentic glomerulonephritis and preserves renal function in WKY rats. *Nephrol Dial Transplant* 2006;21:2736-44.
- (80) Furuichi K, Wada T, Iwata Y, Kokubo S, Hara A, Yamahana J, Sugaya T, Iwakura Y, Matsushima K, Asano M, Yokoyama H, Kaneko S: Interleukin-1-dependent sequential chemokine expression and inflammatory cell infiltration in ischemia-reperfusion injury. *Crit Care Med* 2006;34: 2447-55.
- (81) Wada T, Azuma H, Furuichi K, Sakai N, Kitagawa K, Iwata Y, Matsushima K, Takahara S, Yokoyama H, Kaneko S: Reduction in chronic allograft nephropathy by inhibition of p38 mitogen-activated protein kinase. *Am J Nephrol* 2006;26:319-325.
- (82) Hara A, Wada T, Furuichi K, Sakai N, Kawachi H, Shimizu F, Shibuya M, Matsushima K, Yokoyama H, Egashira K, Kaneko S: Blockade of VEGF accelerates proteinuria, via decrease in nephrin expression in rat crescentic glomerulonephritis. *Kidney Int* 2006;69:1986-1995.
- (83) Sakai N, Wada T, Yokoyama H, Lipp M, Ueha S, Matsushima K, Kaneko S: Secondary lymphoid tissue chemokine (SLC/CCL21)/CCR7 signaling regulates fibrocytes in renal fibrosis. *Proc Natl Acad Sci USA*. 2006;103:14098-103.

医学系研究科（医学部保健学科）

医療科学領域

量子医療技術学

- (1) Narita M, Wagoh T, Onoguchi M, Takayama T. Is there availability of fasting for myocardial perfusion test with Tc-99m MIBI tracer?: comparison of organ uptakes with meal and fasting using rats. *The Japanese Journal of Nuclear medicine Technology* 2006;26(1):15-23.

先端医療技術学

- (2) Kanayama Y, Hayashi E, Haba H, Enomoto S, Amano R. Search for metal delivery from nose to brain: A multitracer study. *RIKEN Accel Prog Rep*. 2006;39:121.
- (3) Wahiyama K, Haba H, Kanayama Y, Enomoto S, Amano R. Preliminary study of biodistribution of $^{203}\text{PbCl}_2$ and ^{203}Pb -DOTMP in mice. *RIKEN Accel Prog Rep*. 2006;39: 122.
- (4) Washiyama K, Imakita Y, Ogawa K, Yoshimoto M, Amano R, Kinuya S, Mitsugashira T, Kwai K. Comparison of myelotoxicities between ^{227}Th -EDTMP and ^{223}Ra in rats. *Eur J Nucl Med Mol Imaging*. 2006 33(suppl. 2):S340.
- (5) 鷺山幸信, 天野良平, 三頭聡明: マウス体内での Ra 同位体 (^{224}Ra , ^{223}Ra) とその娘核種の生体内分布(2). *J Nucl Radiochem Sci*. 2006 7(suppl.):82.
- (6) 鷺山幸信, 天野良平: アクチバブルトレーサーの核医学応用への基礎的検討. *J Nucl Radiochem Sci*. 2006 7(suppl.):101.

病態検査学

- (7) Takemori Y, Sakaguchi A, Matsuda S, Mizukami Y, Sakurai H. Stress-induced transcription of the endoplasmic reticulum oxidoreductin gene *ERO1* in the yeast *Saccharomyces cerevisiae*. *Mol Genet Genomics*. 2006;275:89-96.

- (8) Yamamoto A, Sakurai H. The DNA-binding domain of yeast Hsf1 regulates both DNA-binding and transcriptional activities. *Biochem Biophys Res Commun.* 2006 346:1324-9.
- (9) Hashikawa N, Mizukami Y, Imazu H, Sakurai H. Mutated yeast heat shock transcription factor activates transcription independently of hyperphosphorylation. *J Biol Chem.* 2006 281:3936-42.
- (10) Yutaka T, Sasaki H, Endo M, Inazu A, Yachie A. Low activity of platelet-activating factor acetylhydrolase associated with plasma high-density lipoprotein as a predictor for carotid atherosclerosis in patients with arteriosclerosis obliterans. *Journal of the Tsuruma Health Sci Soc. Kanazawa University,* 2006;30(2):1-9.

リハビリテーション科学領域

機能障害学

- (11) Shoji Tanaka, Katsuhiko Tachino, Ei Kawahara, Junji Tanaka, Hiroshi Funakoshi, and Toshikazu Nakamura: Hepatocyte growth factor increases by reloading followed unloading in mouse soleus muscle. *J. Phys. Ther. Sci.* 2006;18,(1):33-41.
- (12) Shiori Maenaka, Tetsurou Hikichi, Miwa A. Imai, Toshinari Minamoto and Ei Kawahara. Loss of imprinting in IGF2 in colorectal carcinoma assessed by microdissection. *Oncol. Report* 2006;15(4): 791-5.
- (13) Nakamura Masahiko, Toshiyuki Asaka, Akiko Kirita, Yasuko Senda, Shinichiro Fujita, Ritsuko Fukushima, Kishichiro Watanabe, Tadahiro Karasawa, Ei Kawahara, Satoshi Shimura, Takayoshi Yamagishi: Occurrence of the fimbria gene hifA in clinical isolates of nonencapsulated Haemophilus influenza. *Microbiol Immunol* 2006;50(4):327-9.

自然科学研究科（理学部）

化学科

放射化学

- (1) K. Norisuye, K. Okamura, Y. Sohrin, H. Hasegawa, T. Nakanishi, Large volume preconcentration and purification for determining the $^{240}\text{Pu}/^{239}\text{Pu}$ isotopic ratio and $^{238}\text{Pu}/^{239}+^{240}\text{Pu}$ alpha-activity ratio in seawater, *J. Radioanalytical and Nuclear Chemistry* 2006;267:183-93.
- (2) H. Yoshikawa, T. Nakanishi, H. Nakahara, Determination of thoron and radon ratio by liquid scintillation spectrometry, *J. Radioanalytical and Nuclear Chemistry* 2006;267:195-203.
- (3) A. Yokoyama, S. Kamataki, K. Morishita, H. Haba, Distribution coefficients measured with noncarrier tracers of Zr-88 and Hf-175 on TBP resin in hydrochloric acid and nitric acid solutions, *RIKEN Accel. Prog. Rep.* 2006;39:114.

生物学科

発生生物学

- (4) Kaneko Y, Takaki K, Iwami M, Sakurai S. Developmental profile of annexin IX and its possible role in programmed cell death of the Bombyx mori anterior silk gland. *Zoolog Sci.* 2006 Jun;23(6):533-42.
- (5) Sekimoto T, Iwami M, Sakurai S. Coordinate responses of transcription factors to ecdysone during programmed cell death in the anterior silk gland of the silkworm, Bombyx mori. *Insect Mol Biol.* 2006 Jun;15(3):281-92.

- (6) Elmogy M, Terashima J, Iga M, Iwami M, Sakurai S. A rapid increase in cAMP in response to 20-hydroxyecdysone in the anterior silk glands of the silkworm, *Bombyx mori*. *Zoolog Sci.* 2006 Aug;23(8):715-9.
- (7) Hossain M, Shimizu S, Fujiwara H, Sakurai S, Iwami M. EcR expression in the prothoracicotropic hormone-producing neurosecretory cells of the *Bombyx mori* brain. *FEBS J.* 2006 Aug;273(16):3861-8.

遺伝学

- (8) Awata H, Noto T, Endoh H. Peculiar behavior of distinct chromosomal DNA elements during and after development in the dicyemid mesozoan *Dicyema japonicum*. *Chromosome Res.* 2006;14(8):817-30.
- (9) Fukuda Y, Endoh H. New details from the complete life cycle of the red-tide dinoflagellate *Noctiluca scintillans* (Ehrenberg) McCartney. *Eur J Protistol.* 2006;42(3):209-19.
- (10) Endoh H, Kobayashi T. Death harmony played by nucleus and mitochondria: nuclear apoptosis during conjugation of *Tetrahymena*. *Autophagy.* 2006;2(2):129-31.
- (11) Kimura N, Mikami K, Nakamura N, Endoh H. Alteration of developmental program in *Paramecium* by treatment with trichostatin A: a possible involvement of histone modification. *Protist.* 2006;157(3):303-14.
- (12) Sugimoto H, Endoh H. Analysis of fruiting body development in the aggregative ciliate *Sorogena stoianovitchae* (Ciliophora, Colpodea). *J Eukaryot Microbiol.* 2006;53(2):96-102.

地球学科

岩石学・火山学

- (13) 松藤行信, 荒井章司, 森下知晃, 石田義人 (2006) 幌満かんらん岩体中の異質な高 Mg, Cr かんらん岩塊の岩石学. *岩石鉱物科学* 35, 231-243.
- (14) Arai, S., Shimizu, Y., Morishita, T., and Ishida, Y. (2006) A new type of orthopyroxenite xenolith from Takashima, Southwest Japan: silica enrichment of the mantle by evolved alkali basalt. *Contributions to Mineralogy and Petrology*, DOI 10.1007/s00410-006-117-0
- (15) 森下知晃, 荒井章司, 脇元理恵, 水田敏夫, 石山大三, 佐藤比奈子, 梅香賢, 藤沢亜希子, 盛一慎吾, 大世古光弘, 森尚仁, 山崎まゆ, 山本真也 (2006) 石川県南部地域の第三紀流紋岩 (医王山累層) 中に産する暗色珪質脈の岩石学的特徴. *地質学雑誌* 112, 273-283.
- (16) Arai, S., Kadoshima, K. and Morishita, T. (2006) Widespread arc-related melting in the mantle section of the northern Oman ophiolite as inferred from detrital chromian spinels. *Journal of the Geological Society, London* 163, 869-879.
- (17) Morishita, T., Andal, E. S., Arai, S. and Ishida, Y. (2006) Podiform chromitites in the lherzolite-dominant mantle section of the Isabela ophiolite, the Philippines. *Island Arc*, 15, 84-101.

自然科学研究科 (薬学部)

健康薬学系

生化学

- (1) Kimura, N., Mikami, K., Nakamura, N. and Endoh, H. "Alteration of Developmental Program in *Paramecium* by Treatment with Trichostatin A: a Possible Involvement of Histone Modification." *Protist*

2006;157: 303-14.

- (2) Vasile, E., Oka, T., Ericsson, M., Nakamura, N. and Krieger, M. "IntraGolgi distribution of the Conserved Oligomeric Golgi (COG) complex." *Exp. Cell Res.* 2006;312: 3132-41.
- (3) Kawai, A., Takano, S., Nakamura, N. and Ohkuma, S. "Quantitative monitoring of autophagic degradation." *Biochem. Biophys. Res. Commun.* 2006; 351: 71-7.

遺伝情報制御学

- (4) Uchida S, Kubo A, Kizu R, Nakagama H, Matsunaga T, Ishizaka Y, Yamashita K.: Amino acids C-terminal to the 14-3-3 binding motif in CDC25B affect the efficiency of 14-3-3 binding. *J. Biochem. (Tokyo).* 2006;139(4): 761-9.

臨床分析科学

- (5) Higashi T., Takayama N., Kyutoku M., Shimada K., Koh E., Namiki M., Liquid chromatography-mass spectrometric assay of androstenediol in prostatic tissue: influence of androgen deprivation therapy on its level. *Steroids.* 2006;71(11-12):1007-13.
- (6) Higashi T, Ninomiya Y., Iwaki N., Yamauchi A., Shimada K., Studies on neurosteroids XVIII LC-MS analysis of changes in rat brain and serum testosterone levels induced by immobilization stress and ethanol administration. *Steroids.* 2006;71(7):609-17.
- (7) Higashi T., Takayama N., Nishio T., Taniguchi E., Shimada K., Procedure for increasing the detection responses of estrogens in LC-MS based on introduction of a nitrobenzene moiety followed by electron capture atmospheric pressure chemical ionization. *Anal Bioanal Chem.* 2006;386(3):658-65.
- (8) Higashi T., Trace determination of steroids causing age-related diseases using LC/MS combined with detection-oriented derivatization. *Chem Pharm Bull (Tokyo).* 2006;54(11):1479-85.

創薬科学系

機能性分子設計学

- (9) Osamu Tamura, Naka Mita, Yasuharu Imai, Takuya Nishimura, Tamiko Kiyotani, Mikio Yamasaki, Motoo Shiro, Nobuyoshi Morita, Iwao Okamoto, Tetsuya Takeya, Hiroyuki Ishibashi, and Masanori Sakamoto: 1,3-Dipolar Cycloaddition of α -Alkoxy carbonylnitrones with Vinyl Ethers and Allyl Alcohols in the Presence Eu(fod)₃: Selective Activation of (Z)-Isomers of the Nitrones. *Tetrahedron*, 2006;62, 12227-36.
- (10) Jun-ichi Matsuo, Yumi Tanaki, and Hiroyuki Ishibashi: Oxidative Mannich Reaction of N-Carbobenzyloxy Amines with 1,3-Dicarbonyl Compounds. *Org.Lett.*, 2006;8:4371-4.
- (11) Miho Saito, Jun-ichi Matsuo, Masahiko Uchiyama, and Hiroyuki Ishibashi: Stereoselective Synthesis of trans-3a-Aryloctahydroindoles Using Cyclization of N-Vinyl α -(Methylthio)acetamides. *Heterocycles* 2006;68:69-72.
- (12) Hiroyuki Ishibashi, Shigeki Haruki, Masahiko Uchiyama, Osamu Tamura, and Jun-ichi Matsuo: Radical Cyclizations in 1,4-Dimethylpiperazine. *Tetrahedron Lett.* 2006;47:6263-6.
- (13) Jun-ichi Matsuo, Takaaki Kozai, and Hiroyuki Ishibashi, Mild preparation of alkenes from phenyl sulfides: one-pot elimination of phenylthio group via sulfilimine at ambient temperature, *Org. Lett.* 2006, 8, 6095-8.
- (14) Jun-ichi Matsuo, Yumi Tanaki, Aimi Kido and Hiroyuki Ishibashi, A mild and convenient synthesis of N-carbobenzyloxy ketimines *Chem. Commun.* 2006;2896-8.

天然物化学

- (15) Tokue T, Miura S, Kato H, Hirota H, Ohta T, Tsukamoto S. Neurotrophic Sesterterpenes Isolated from a Marine Sponge, *Spongia* sp. Heterocycles 2006;69(1): 521-6.
- (16) Tsukamoto S, Yoshida T, Hosono H, Ohta T, Yokosawa H. Hexylitaconic acid: a new inhibitor of p53-HDM2 interaction isolated from a marine-derived fungus, *Arthrinium* sp. Bioorg. Med. Chem. Lett. 2006;16(1):69-71.
- (17) Tsukamoto S. The Search for Inhibitors of the Ubiquitin-proteasome System from Natural Resources for Drug Development (Review). J. Nat. Med. 2006; 60(4): 273-8.
- (18) Tsukamoto S, Yokosawa H. Natural Products Inhibiting the Ubiquitin-proteasome Proteolytic Pathway, a Target for Drug Development (Review). Curr. Med. Chem. 2006; 13(7):745-54.

医療薬学系

薬物治療学

- (19) Kamei H, Nagai T, Nakano H, Togan Y, Takayanagi M, Takahashi K, Kobayashi K, Yoshida S, Maeda K, Takuma K, Nabeshima T, Yamada K. Repeated methamphetamine treatment impairs recognition memory through a failure of novelty-induced ERK1/2 activation in the prefrontal cortex of mice. Biol Psychiatry. 2006;1;59(1):75-84.
- (20) Chen L, Yamada K, Nabeshima T, Sokabe M. $\alpha 7$ Nicotinic acetylcholine receptor as a target to rescue deficit in hippocampal LTP induction in beta-amyloid infused rats. Neuropharmacology. 2006;50(2):254-68.
- (21) Nagai T, Nabeshima T, Takuma K, Yamada K. [Role of tissue plasminogen activator in the rewarding effect of morphine] Nihon Arukoru Yakubutsu Igakkai Zasshi. 2006 Feb;41(1):23-30.
- (22) Yan Y, Nitta A, Mizoguchi H, Yamada K, Nabeshima T. Relapse of methamphetamine-seeking behavior in C57BL/6J mice demonstrated by a reinstatement procedure involving intravenous self-administration. Behav Brain Res. 2006 ;15;168(1):137-43.
- (23) Ishikawa K, Nitta A, Mizoguchi H, Mohri A, Murai R, Miyamoto Y, Noda Y, Kitaichi K, Yamada K, Nabeshima T. Effects of single and repeated administration of methamphetamine or morphine on neuroglycan C gene expression in the rat brain. Int J Neuropsychopharmacol. 2006;9(4):407-15.
- (24) Nagai T, Kamei H, Dohniwa M, Takayanagi M, Suzuki M, Matsuya T, Nabeshima T, Takuma K, Yamada K. Involvement of hippocampal extracellular signal-regulated kinase 1/2 in spatial working memory in rats. Neuroreport. 2006;17(13):1453-7.
- (25) Goto Y, Taniura H, Yamada K, Hirai T, Sanada N, Nakamichi N, Yoneda Y. The magnetism responsive gene Ntan1 in mouse brain. Neurochem Int. 2006;49(4):334-41.
- (26) Yan Y, Nitta A, Mizuno T, Nakajima A, Yamada K, Nabeshima T. Discriminative-stimulus effects of methamphetamine and morphine in rats are attenuated by cAMP-related compounds. Behav Brain Res. 2006;173(1):39-46.
- (27) Ito M, Nagai T, Kamei H, Nakamichi N, Nabeshima T, Takuma K, Yamada K. Involvement of tissue plasminogen activator-plasmin system in depolarization-evoked dopamine release in the nucleus accumbens of mice. Mol Pharmacol. 2006;70(5):1720-5.
- (28) Nagai T, Ito M, Nakamichi N, Mizoguchi H, Kamei H, Fukakusa A, Nabeshima T, Takuma K, Yamada K. The rewards of nicotine: regulation by tissue plasminogen activator-plasmin system through protease activated receptor-1. J Neurosci. 2006;26(47):12374-83.
- (29) Suzuki M, Yamamoto D, Suzuki T, Fujii M, Suzuki N, Fujishiro M, Sakurai T, Yamada K. Effect

of fructose-rich high-fat diet on glucose sensitivity and atherosclerosis in nonhuman primate. *Methods Find Exp Clin Pharmacol*. 2006;28(9):609-17.

- (30) Suzuki M, Yamamoto D, Suzuki T, Fujii M, Suzuki N, Fujishiro M, Sakurai T, Yamada K. High fat and high fructose diet induced intracranial atherosclerosis and enhanced vasoconstrictor responses in non-human primate. *Life Sci*. 2006;80(3):200-4.

創剤科学

- (31) Sai Y, Kato Y, Nakamura K, Kato S, Nishimura T, Kubo Y, Tamai I, Yang S, Hu Z, Yamada I, Tsuji A. Carrier-mediated hepatic uptake of a novel nonrenal excretion type uric acid generation inhibitor, Y-700. *J Pharm Sci*. 2006; 95(2): 336-47.
- (32) Li Q, Tsuji H, Kato Y, Sai Y, Kubo Y, Tsuji A. Characterization of the transdermal transport of flurbiprofen and indomethacin. *J Control Release*. 2006; 110(3): 542-56.
- (33) Sai Y, Kaneko Y, Ito S, Mitsuoka K, Kato Y, Tamai I, Artursson P, Tsuji A. Predominant contribution of organic anion transporting polypeptide OATP-B (OATP2B1) to apical uptake of estrone-3-sulfate by human intestinal Caco-2 cells. *Drug Metab Dispos*. 2006; 34(8): 1423-31.
- (34) Kato Y, Sugiura M, Sugiura T, Wakayama T, Kubo Y, Kobayashi D, Sai Y, Tamai I, Iseki S, Tsuji A. Organic cation/carnitine transporter OCTN2 (Slc22a5) is responsible for carnitine transport across apical membranes of small intestinal epithelial cells in mouse. *Mol Pharmacol*. 2006; 70(3): 829-37.
- (35) Sugiura T, Kato Y, Kubo Y, Tsuji A. Mutation in an adaptor protein PDZK1 affects transport activity of organic cation transporter OCTNs and oligopeptide transporter PEPT2. *Drug Metab Pharmacokinet*. 2006; 21(5): 375-83.
- (36) Watanabe C, Kato Y, Sugiura T, Kubo Y, Wakayama T, Iseki S, Tsuji A. PDZ adaptor protein PDZK2 stimulates transport activity of organic cation/carnitine transporter OCTN2 by modulating cell surface expression. *Drug Metab Dispos*. 2006; 34(11): 1927-34.
- (37) Kato Y, Watanabe C, Tsuji A. Regulation of drug transporters by PDZ adaptor proteins and nuclear receptors. *Eur J Pharm Sci*. 2006; 27(5): 487-500.
- (38) Sugiura T, Kato Y, Tsuji A. Role of SLC xenobiotic transporters and their regulatory mechanisms PDZ proteins in drug delivery and disposition. *J Control Release*. 2006 ;116(2): 238-46.

薬物学

- (39) Ogura M, Nakamichi N, Takano K, Oikawa H, Kambe Y, Ohno Y, Taniura H, Yoneda Y (2006) Functional expression of a glutamine transporter responsive to downregulation by lipopolysaccharide through reduced promoter activity in cultured rat neocortical astrocytes. *J. Neurosci. Res*. 2006;83: 1447-60.
- (40) Fujimori S, Hinoi E, Takarada T, Iemata M, Takahata Y, Yoneda Y (2006) Possible expression of a particular gamma-aminobutyric acid transporter isoform responsive to upregulation by hyperosmolarity in rat calvarial osteoblasts. *Eur. J. Pharmacol*. 2006;550: 24-32.
- (41) Fujimori S, Osawa M, Iemata M, Hinoi E, Yoneda Y (2006) Increased GABA transport activity in rat calvarial osteoblasts cultured under hyperglycemic conditions. *Biol. Pharm. Bull*. 2006;29: 297-301.
- (42) Hinoi E, Ueshima T, Hojo H, Iemata M, Takarada T, Yoneda Y (2006) Upregulation of per mRNA expression by PTH through a PKA-CREB-dependent mechanism in chondrocytes. *J. Biol. Chem*. 2006;281:23632-42.
- (43) Hinoi E, Fujimori S, Wang L, Hojo H, Uno K, Yoneda Y (2006) Nrf2 negatively regulates

osteoblast differentiation via interfering with Runx2 dependent transcriptional activation. J. Biol. Chem. 2006;281:18015-24.

がん研究所

ゲノム分子病態研究分野

- (1) Kobayashi M, Ono H, Mihara K, Tauchi H, Komatsu K, Shibata T, Shimizu H, Uchida K, Yamamoto K. ATM activation by a sulfhydryl-reactive inflammatory cyclopentenone prostaglandin. Genes Cells. 2006; 11(7):779-89

シグナル伝達研究分野

- (2) Miura E, Fukaya M, Sato T, Sugihara K, Asano M, Yoshioka K, Watanabe M. Expression and distribution of JNK/SAPK-associated scaffold protein JSAP1 in developing and adult mouse brain. J Neurochem. 2006;97(5):1431-46.
- (3) Bayarsaikhan M, Shiratsuchi A, Gantulga D, Nakanishi Y, Yoshioka K. Selective expression of the scaffold protein JSAP1 in spermatogonia and spermatocytes. Reproduction. 2006;131(4):711-9.

細胞機能統御研究分野

- (4) Ahmad M, Takino T, Miyamori H, Yoshizaki T, Furukawa M and Sato H. Cleavage of amyloid-precursor protein (APP) by membrane-type matrix metalloproteinases. The Journal of Biochemistry, 2006;139: 517-526.
- (5) Takino T, Watanabe Y, Matsui M, Miyamori H, Kudo T, Seiki M, and Sato H. Membrane-type 1 matrix metalloproteinase modulates focal adhesion stability and cell migration. Experimental Cell Research 2006;312: 1381-9.

分子生体応答研究分野

- (6) Yang X, Lu P, Ishida Y, Kuziel WA, Fujii C, and Mukaida, N. Attenuated liver tumor formation in the absence of CCR2 with a concomitant reduction in the accumulation of hepatic stellate cells, macrophages, and neovascularization. Int J Cancer. 2006; 118(2): 335-45.
- (7) Kagaya T, Nakamoto Y, Sakai Y, Tsuchiyama T, Yagita H, Mukaida N, and Kaneko S. Monocyte chemoattractant protein-1 gene delivery enhances antitumor effects of herpes simplex virus thymidine kinase/ganciclovir system in a model of colon cancer. Cancer Gene Ther. 2006; 13(4): 357-66.
- (8) Yang X, Lu P, Fujii C, Nakamoto Y, Gao J-L, Kaneko S, Murphy PM, and Mukaida N. Essential contribution of a chemokine, CCL3, and its receptor, CCR1, to hepatocellular carcinoma progression. Int J Cancer. 2006; 118(8): 1869-76.
- (9) Ishida Y, Kondo T, Kimura A, Tsuneyama K, Takayasu T, and Mukaida N. Opposite roles of neutrophils and macrophages in the pathogenesis of acetaminophen-induced acute liver injury. Eur J Immunol. 2006; 36(4): 1028-38.
- (10) Ishida Y, Kondo T, Kimura A, Matsushima K, and Mukaida, N. Absence of IL-1 receptor antagonist impaired wound healing along with aberrant NF- κ B activation and a reciprocal suppression of TGF- β signal pathway. J Immunol. 2006; 176(9): 5598-606.

- (11) Li Y-Y, Popivanova BK, Nagai Y, Ishikura H, Fujii C, and Mukaida N. Pim-3, a proto-oncogene with serine/threonine kinase activity, is aberrantly expressed in human pancreatic cancer and phosphorylates Bad to block Bad-mediated apoptosis in human pancreatic cancer cell lines. *Cancer Res.* 2006; 66(13): 6741-7.
- (12) Kimura A, Ishida Y, Hayashi T, Wada T, Yokoyama H, Sugaya T, Mukaida N, and Kondo T. Interferon- γ plays protective roles in sodium arsenite-induced renal injury by up-regulation of intrarenal multidrug resistance-associated protein 1 expression. *Am J Pathol.* 2006; 169 (4): 1118-28.
- (13) Yamashita T, Popivanova BK, Guo J, Kotani S, Wakayama T, Iseki S, Sawamontoto K, Okano H, Fujii C, Mukaida N, and Tonchev AB. Implication of Down syndrome cell adhesion molecule in the hippocampal neurogenesis of ischemic monkeys. *Hippocampus.* 2006; 16: 924-35.

遺伝子・染色体構築研究分野

- (14) Takubo K, Hirao A, Ohmura M, Azuma M, Arai F, Nagamatsu G, Suda T. Premeiotic germ cell defect in seminiferous tubules of Atm-null testis. *Biochem Biophys Res Commun.* 2006 351(4):993-8.
- (15) Ito K, Hirao A, Arai F, Takubo K, Matsuoka S, Miyamoto K, Ohmura M, Naka K, Hosokawa K, Ikeda Y, Suda T. Reactive oxygen species act through p38 MAPK to limit the lifespan of hematopoietic stem cells. *Nat Med.* 2006 12:446-51.

腫瘍遺伝学研究分野

- (16) Oshima H, Taketo MM, Oshima M. Destruction of pancreatic beta-cells by transgenic induction of prostaglandin E2 in the islets. *J Biol Chem.* 2006;281(39):29330-6.
- (17) Oshima H, Matsunaga A, Fujimura T, Tsukamoto T, Taketo MM, Oshima M. Carcinogenesis in mouse stomach by simultaneous activation of the Wnt signaling and prostaglandin E2 pathway. *Gastroenterology.* 2006 Oct;131(4):1086-95.

腫瘍外科研究分野

- (18) Yasumoto K, Koizumi K, Kawashima A, Saitoh Y, Arita Y, Shinohara K, Minami T, Nakayama T, Sakurai H, Takahashi Y, Yoshie O, Saiki I: Role of the CXCL12/CXCR4 axis in peritoneal carcinomatosis of gastric cancer. *Cancer Res* 2006; 66:2181-7.

保健管理センター

- (1) Yoshikawa H, Sato K, Edahiro S, Furukawa Y, Maruta T, Iwasa K, Watanabe H, Takaoka S, Suzuki Y, Takamori M, Yamada M. Elevation of IL-12 p40 and its antibody in myasthenia gravis with thymoma. *J Neuroimmunol.* 2006;175(1-2):169-75.